
GASOLINE ENGINES - HORIZONTAL SHAFT

NK177F
NK188F





Application:

AGRICULTURE MACHINERY · GENERATOR · FIRE FIGHTING · WATER PUMP


Certification:


CE · EURO STAGE 5

MODEL		NK177F	NK188F
ENGINE TYPE		single cylinder 4 stroke air cooled vertical	single cylinder 4 stroke air cooled vertical
BORE * STROKE	mm	77*58	88*64
DISPLACEMENT	cc	270	389
ROTATION SPEED	rpm	3600	3600
MAX. OUTPUT POWER	HP	9	13
FUEL TANK CAPACITY	Lt	6	6.5
OIL CAPACITY	ml	1100	1100
FUEL CONSUMPTION	gr/Kw*h	<370	<370
STARTIG SYSTEM		Recoil or Electric	Recoil or Electric
COMPRESSION RATIO		8.2 : 1	8.2 : 1
PACKAGE DIMENSIONS	mm	480 x 435 x 515	480 x 435 x 515
WEIGHT NET / GROSS	Kg	27/28	31/32
LOADING 20GP/40HQ	pcs	252 / 645	252 / 645
MOQ	pcs	20	20


ENGINE DIMENSIONS


NK177F






NK188F






CURVE


NK177F	NK188F






SHAFT AND FLANGE TYPE


NK177F	NK188F




Q Type




S Type




H Type




V Type




L Type




P Type




R Type



U Type



W Type



T Type

